



SECTION 2

PLANT LIST for County Wildlife Site

Only include one record per species
See handout 9 for information on DAFOR

Name of site: Southrepps Commons (School Common and Jubilee boardwalk)

Dates of surveys:

14/5/16, 17/5/16, 26/6/16, 27/6/16

22/8/16

County Wildlife Site No: 1194

Name of surveyor/s: Suki Pryce, Sally Sharman, Jane Sedgewick, Gill Hunt, Cornell Howells, Margaret Dowland

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Alder	<i>Alnus glutinosa</i>			LF			
Alexanders	<i>Smyrnium olusatrum</i>					R	Verge and path edges
Alkanet	<i>Pentaglottis sempervirens</i>					R	
Almond Willow	<i>Salix triandra</i>					R	
Angelica	<i>Angelica sylvestris</i>					R	
Annual Meadow-grass	<i>Poa annua</i>					R	
Apple	<i>Malus domestica</i>					R	
Ash	<i>Fraxinus excelsior</i>				O		
Barren Brome	<i>Anisantha sterilis</i>					R	
Barren Strawberry	<i>Potentilla sterilis</i>					R	Verge
Birch Hybrid(DownyxSilver Birch)	<i>Betula x aurata</i>					R	

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Birds Foot Trefoil	<i>Lotus corniculatus</i>					R	
Bittersweet/Woody Nightshade	<i>Solanum dulcamara</i>					R	
Black Bryony	<i>Tamus communis</i>					R	Well distributed throughout the site
Black Mustard	<i>Brassica nigra</i>					R	Junction of Station Rd and Antingham Rd
Blackthorn	<i>Prunus spinosa</i>				O		
Bluebell Hybrid	<i>Hyacinthoides x massartiana</i>					R	
Bluebell (English)	<i>Hyacinthoides non-scripta</i>					R	
Bluebell(Spanish)	<i>Hyacinthoides hispanica</i>					R	
Blunt-fruited Water-starwort	<i>Callitriche obtusangula</i>					R	
Bog Stitchwort	<i>Stellaria uliginosa</i>					R	
Bracken	<i>Pteridium aquilinum</i>			LF			
Bramble sp	<i>Rubus fruticosus agg.</i>			LF			
Broad Buckler fern	<i>Dryopteris dilatata</i>				LO		
Broad-leafed Dock	<i>Rumex obtusifolius</i>					R	
Broad-leaved Willowherb	<i>Epilobium montanum</i>					R	
Broom	<i>Cytisus scoparius</i>				LO		
Bullace	<i>Prunus domestica ssp institia</i>				O		
Cat's-ear	<i>Hypochaeris radicata</i>					R	
Chalk Knapweed	<i>Centaurea x debeauxii</i>					R	
Charlock	<i>Sinapis arvensis</i>					R	Verge
Cleavers	<i>Galium aparine</i>					R	
Clustered Dock	<i>Rumex conglomeratus</i>					R	
Cock's-foot	<i>Dactylis glomerata</i>					R	
Common Chickweed	<i>Stellaria media</i>					R	
Common Couch	<i>Elytrigia repens</i>					R	
Common Dog Violet	<i>Viola riviniana</i>				LO		
Common Field-speedwell	<i>Veronica persica</i>					R	

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Common Michelmas Daisy	<i>Aster x salignus</i>					R	
Common Mouse-ear	<i>Cerastium fontanum</i>					R	
Common Orache	<i>Atriplex patula</i>					R	
Common Poppy	<i>Papaver rhoeas</i>					R	Verge
Common Spike rush	<i>Eleocharis palustris</i>					R	
Common Vetch	<i>Vicia sativa</i>					R	
Cow Parsley	<i>Anthriscus sylvestris</i>					R	
Cowslip	<i>Primula veris</i>					R	Path edge C1
Crack Willow cv	<i>Salix fragilis</i> cv					R	
Creeping Bent	<i>Agrostis stolonifera</i>					R	
Creeping Buttercup	<i>Ranunculus repens</i>					R	
Creeping Cinquefoil	<i>Potentilla reptans</i>					R	
Creeping Soft-grass	<i>Holcus mollis</i>					R	
Creeping Thistle	<i>Cirsium repens</i>					R	
Crosswort	<i>Cruciata laevipes</i>					R	Path edge C1
Curled Dock	<i>Rumex crispus</i>					R	
Cut-leaved Cranesbill	<i>Geranium dissectum</i>					R	
Daffodil	<i>Narcissus spp</i>					R	Small clumps different types
Daisy	<i>Bellis perennis</i>					R	
Dandelion	<i>Taraxacum agg.</i>					R	
Dog-rose	<i>Rosa canina</i>				LO		Hedgerow and path edges
Doves Foot Cranesbill	<i>Geranium molle</i>					R	Verge and path edges
Downy Birch	<i>Betula pubescen</i>					R	
Elder	<i>Sambucus nigra</i>				O		
Elm (small leaved)	<i>Ulmus minor var. vulgaris</i>				LO		
Enchanters Nightshade	<i>Circaea lutetiana</i>					R	
Equal-leaved Knotgrass	<i>Polygonum arenastrum</i>					R	
False Brome	<i>Brachypodium sylvaticum</i>					R	

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
False Oat-grass	<i>Arrhenatherum elatius</i>				O		
Fat Hen	<i>Chenopodium album</i>					R	
Field Horse tail	<i>Equisetum arvense</i>				LO		C2
Field Wood Rush	<i>Luzula campestris</i>					R	
Flag Iris	<i>Iris pseudacorus</i>				LO		C2 In swamp area
Fleabane	<i>Pulicaria dysenterica</i>					R	N bank pond
Forsythia	<i>Forsythia x intermedia</i>					R	Gravel track bisecting C1andC2
Foxglove	<i>Digitalis purpurea</i>					R	Large group E end C1
Garlic Mustard	<i>Alliaria petiolata</i>				O		
Germander Speedwell	<i>Veronica chamaedrys</i>					R	Verge and path edges
Goatsbeard	<i>Tragopogon pratensis</i>					R	Car park edge
Goat willow	<i>Salix caprea</i>					R	
Gooseberry	<i>Ribes uva-crispa</i>					R	Well distributed throughout the site
Gorse	<i>Ulex europaeus</i>					R	
Great Willowherb	<i>Epilobium hirsutum</i>				LO		
Greater Bird's-foot-trefoil	<i>Lotus pedunculatus</i>					R	
Greater Chickweed	<i>Stellaria neglecta</i>					R	
Greater Plantain	<i>Plantago major</i>					R	
Greater Reed Mace	<i>Typha latifolia</i>			LF			Pond
Greater Stitchwort	<i>Stellaria holostea</i>					R	
Grey Willow	<i>Salix cinerea</i>			O			
Ground -elder	<i>Aegopodium podagraria</i>					R	
Ground Ivy	<i>Glechoma hederacea</i>					R	Well distributed throughout the site
Groundsel	<i>Senecio vulgaris</i>					R	
Hairy Bindweed	<i>Calystegia sepium</i>					R	
Hairy Bittercress	<i>Cardamine hirsuta</i>					R	
Hairy Sedge	<i>Carex hirta</i>					R	
Hairy Tare	<i>Vicia hirsuta</i>					R	

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Hairy-brome	<i>Bromopsis ramosa</i>					R	
Hawthorn	<i>Crataegus monogyna</i>				O		
Hazel	<i>Corylus avellana</i>				LO		
Hazel (red)	<i>Corylus avellana purpurea</i>					R	C2 by boardwalk
Heath Speedwell	<i>Veronica officinalis</i>					R	
Heath Wood-rush	<i>Luzula multiflora</i>					R	
Hedge Mustard	<i>Sisymbrium officinale</i>					R	
Hedge Woundwort	<i>Stachys sylvatica</i>				LO		In separate areas throughout the site
Hedgerow Cranesbill	<i>Geranium pyrenaicum</i>					R	
Herb Robert	<i>Geranium robertianum</i>					R	Well distributed throughout the site
Hogweed	<i>Heracleum sphondylium</i>					R	
Holly	<i>Ilex aquifolium</i>				O		
Honeysuckle	<i>Lonicera periclymenum</i>				LO		Hedgerow and path edges I
Hop	<i>Humulus lupulus</i>					R	
Hop Trefoil	<i>Trifolium campestre</i>					R	
Horse Chestnut	<i>Aesculus hippocastanum</i> ,					R	
Ivy	<i>Hedera helix</i>			F			
Ivy leafed Speedwell	<i>Veronica hederifolia</i>					R	
Least Duckweed	<i>Lemnaceae minuta</i>		LA				Pond
Lesser Celandine	<i>Ranunculus ficaria</i>					R	
Lesser Spearwort	<i>Ranunculus flammula</i>					R	
Lesser Trefoil	<i>Trifolium dubium</i>					R	
Lords-and-Ladies	<i>Arum maculatum</i>					R	
Male-fern	<i>Dryopteris filix-mas</i>					R	
Marsh Bedstraw	<i>Galium palustre</i>					R	
Marsh Cudweed	<i>Gnaphalium uliginosum</i>					R	
Marsh Thistle	<i>Cirsium palustre</i>					R	
Marsh Woundwort	<i>Stachys palustris</i>					R	Verge Antingham Rd

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Meadow Buttercup	<i>Ranunculus acris</i>					R	
Meadowsweet	<i>Filipendula ulmaria</i>					R	
Monks-hood	<i>Aconitum napellus</i>					R	Gravel track bisecting C1andC2
Montbretia	<i>Crocsmia x crocosmiiflora</i>					R	Gravel track bisecting C1andC2
Moschatel	<i>Adoxa moschatellina</i>				LO		Bramble Rd entrance and boardwalk C2
Mugwort	<i>Artemisia vulgaris</i>					R	
Nettle sp	<i>Urtica dioica</i>				O		
New Zealand Pigmyweed	<i>Crassula Helmsii</i>			LF			Pond
Nipplewort	<i>Lasana communis</i>					R	
Oak	<i>Quercus robur</i>					R	
Pale Persicaria	<i>Persicaria lapathifolia</i>					R	
Pendulous Sedge	<i>Carex pendula</i>					R	
Perennial Rye Grass	<i>Lolium perenne</i>					R	
Perennial Sowthistle	<i>Sonchus arvensis</i>					R	
Perforate St John's-wort	<i>Hypericum perforatum</i>					R	Verge at junction of Bramble lane
Periwinkle	<i>Vinca major</i>					R	Verge
Pignut	<i>Conopodium majus</i>					R	
Pill Sedge	<i>Carex pilulifera</i>					R	
Prickly Sowthistle	<i>Sonchus asper</i>					R	
Primrose	<i>Primula vulgaris</i>					R	Ditch N boundary C2
Privet	<i>Ligustrum ovalifolium</i>					R	
Oxford Ragwort	<i>Seneciosqualidus</i>					R	Verge
Raspberry	<i>Rubus idaeus</i>					R	Well distributed throughout the site
Red Champion	<i>Silene dioica</i>					R	
Red Currant	<i>Ribes rubrurn</i>					R	Well distributed throughout the site
Red Dead-nettle	<i>Lamium purpureum</i>					R	
Red Fescue	<i>Festuca rubra</i>					R	

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Redshank	<i>Persicaria maculosa</i>					R	
Ribwort Plantain	<i>Plantago lanceolata</i>					R	
Rosebay Willowherb	<i>Chamerion angustifolium</i>				LO		
Rough Chervil	<i>Chaerophyllum temulum</i>					R	
Rough Meadow-grass	<i>Poa trivialis</i>					R	
Rowan	<i>Sorbus aucuparia</i>					R	
Scentless Mayweed	<i>Tripleurospermum inodorum</i>					R	Car park edge
Shepherds Purse	<i>Capsella bursa-pastoris</i>					R	
Short-fruited Willowherb	<i>Epilobium obscurum</i>					R	
Silver Birch	<i>Betula pendula</i>					R	Verge
Silverweed	<i>Potentilla anserina</i>					R	Verge
Slender St John's Wort	<i>Hypericum pulchrum</i>					R	C1
Smaller Cat's-tail	<i>Phleum bertolonii</i>					R	
Smooth Meadow Grass	<i>Poa pratensis</i>					R	
Smooth Sow Thistle	<i>Sonchus oleraceus</i>					R	
Soft Rush	<i>Juncus effusus</i>					R	
Soft-brome	<i>Bromus hordeaceus</i>					R	
Sorrel	<i>Rumex acetosa</i>					R	
Spear Thistle	<i>Cirsium vulgare</i>					R	
Spear-leaved Orache	<i>Atriplex prostrata</i>					R	
Square-stalked Willowherb	<i>Epilobium tetragonum</i>					R	
Stinking Iris	<i>Iris foetidissima</i>					R	C1
Sycamore	<i>Acer pseudoplatanus</i>				O		
Three-nerved Sandwort	<i>Moehringia trinervia</i>					R	
Timothy	<i>Phleum pratense</i>					R	
Toad Rush	<i>Juncus bufonius</i>					R	
Tormentil	<i>Potentilla erecta</i>					R	
Trailing St John's -wort	<i>Hypericum humifusum</i>					R	C1

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS or Grid Reference location
		D	A	F	O	R	
Tufted Hair-grass	<i>Deschampsia cespitosa</i>					R	
Tutsan	<i>Hypericum androsaemum</i>					R	
Upright Hedge Parsley	<i>Torilis japonica</i>					R	Grass path to picnic area
Water Figwort	<i>Scrophularia auriculata</i>					R	C2
Water Mint	<i>Mentha aquatica</i>					R	C2
Wavy Bittercress	<i>Cardamine flexuosa</i>					R	
White Clover	<i>Trifolium repens</i>					R	
White Dead Nettle	<i>Lamium album</i>					R	
White Water-lily	<i>Nymphaea alba</i>					R	Pond
White Willow	<i>Salix alba</i>					R	1 tree C1 by gravel road
Winter Aconite	<i>Eranthis hyemalis</i>					R	
Wood Avens	<i>Geum urbanum</i>					R	Well distributed throughout the site
Wood Dock	<i>Rumex sanguineus</i>					R	
Wood Forget-me-not	<i>Myosotis sylvatica</i>					R	
Yarrow	<i>Achillea millefolium</i>					R	
Yellow Oat-grass	<i>Trisetum flavum</i>					R	
Yellow Toadflax	<i>Linaria vulgaris</i>					R	Verge
Yew	<i>Taxus baccata</i>					R	
Yorkshire Fog	<i>Holcus lanatus</i>					R	

NOTABLE SPECIES LIST (non-plant) for County Wildlife Sites

Please keep a list of any other **notable non-plant species** that you find on your County Wildlife Site. **Only include one record per species.**

Name of site: Southrepps Commons (School Common and Jubilee boardwalk)

County Wildlife Site No: 1194

Name of surveyor/s: Suki Pryce, Sally Sharman, Jane Sedgewick, Gill Hunt, Cornell Howells, Margaret Dowland

[illegible]



INVASIVE SPECIES LIST for County Wildlife Sites (Continued)

Please tick the list below for any invasive native and non-native plant species that you find on your County Wildlife Site
(See handout 16 for invasive species)
Only include one record per species

Name of site: Southrepps Commons (School Common and Jubilee boardwalk)

County Wildlife Site No: 1194

Name of surveyor/s: Suki Pryce, Sally Sharman, Jane Sedgewick, Gill Hunt, Cornell Howells, Margaret Dowland

Common name	Scientific name	DAFOR Please tick relevant box					Comments / GPS location or Grid Reference
		D	A	F	O	R	
Bracken (heath / acid grassland)	<i>Pteridium aquilinum</i>			LF			
Alexanders (grassland / road side verges)	<i>Smyrniolum olustratum</i>					R	Verge and path edges in C1
Spanish bluebell	<i>Hyacinthoides hispanica</i>					R	C1
New Zealand pigmyweed (aquatic)	<i>Crassula helmsii</i>			LF			In pond