INSIDE UNCUT AREA

| | Common name | Botanical name | D | Α | F | 0 | R | Comments |
|----|---------------------|-----------------------|---|---|---|---|---|--|
| 1 | Stinging nettle | Urtica dioica | Χ | | | | | Dominant over uncut boundary areas. |
| 2 | Cleavers | Gallium aparine | | Χ | | | | |
| 3 | Hazel | Corylus avellana | | | | Χ | | |
| 4 | Dog's mercury | Mercurialis perennis | | | Χ | | | |
| 5 | Cow parsley | Anthriscus sylvestris | | Χ | | | | Most abundant on southern boundary. |
| 6 | Hawthorn | Crataegus monogyna | | | Χ | | | |
| 7 | lvy | Hedera helix | | | Χ | | | |
| 8 | Lesser celandine | Ficaria verna | | | Χ | | | |
| 9 | Elm | Ulmus sp. | | | | | Χ | One hedgerow tree, now largely dead. |
| 10 | Hogweed | Heracleum sphondyllum | | | Χ | | | |
| 11 | Elder | Sambucus nigra | | | Χ | | | |
| 12 | Bramble | Rubus fruticosus agg. | | | Χ | | | |
| 13 | Blackthorn | Prunus spinosa | | Χ | | | | Suckers advancing in from hedge boundaries |
| 14 | Red campion | Silene dioica | | | Χ | | | In a variety of colour shades |
| 15 | Ground ivy | Glechoma hederacea | | | Χ | | | |
| 16 | Foxglove | Digitalis purpurea | | | | Χ | | |
| 17 | Germander speedwell | Veronica chamaedrys | | | | Χ | | |
| 18 | Hedge woundwort | Stachys sylvatica | | | Χ | | | Common in patches |
| 19 | Broad-leaved dock | Rumex obtusifolius | | Χ | | | | Some truly enormous leaves! |
| 20 | Wood dock | Rumex sanguineus | | | Χ | | | |
| 21 | Timothy grass | Phleum pratense | | | | Х | | |
| 22 | Creeping buttercup | Ranunculus repens | | Х | | | | Common in sward |
| 23 | False Oat-grass | Arrhenatherum elatius | | Х | | | | |
| 24 | Rough meadow -grass | Poa trivialis | | Χ | | | | |
| 25 | Clematis montana | | | | | | | Spilling through hedge from garden next-door |

| 26 | Holly | Ilex aquifolium | | Х | | | |
|----|--------------------|---------------------------|---|---|---|---|---|
| 27 | Ash | Fraxinus excelsior | | Х | | | Large trees, boughs severely lopped. |
| | | | | | | | |
| 28 | Dogwood | Cornus sanguinea | | | Х | | In hedge |
| 29 | White dead- nettle | Lamium album | | | Х | | |
| 30 | Greater burdock | Arctium lappa | | Χ | | | |
| 31 | Dog rose | Rosa canina | | Χ | | | Large plants in hedge on western boundary |
| 32 | Great willow herb | Epilobium hirsutum | | | Х | | |
| 33 | Greater stitchwort | Stellaria holostea | | | Х | | |
| 34 | Green alkanet | Pentaglottis sempervirens | | Χ | | | |
| 35 | Creeping thistle | Cirsium arvense | Х | | | | Most common on northern boundary |
| 36 | Field maple | Acer campestre | | Х | | | |
| 37 | Herb Robert | Geranium robertianum | | Х | | | |
| 38 | Spanish bluebell | Hyacinthoides hispanica | | | | Χ | On graves: planted? |
| 39 | Teasel | Dipsacus fullonum | | | | Χ | Seed-heads visible above nettles |
| 40 | Nipplewort | Lapsana communis | | Х | | | |
| 41 | Caper spurge | Euphorbia lathyris | | | | Χ | One plant on strimmed grave |
| 42 | Wood avens | Geum urbanum | | | Х | | |
| 43 | Sycamore | Acer pseudoplatanus | | | | Χ | |
| 44 | Giant fescue | Festuca gigantea | | | Х | | |
| 45 | Dandelion | Taraxacum agg. | | | Χ | | |
| 46 | Red dead-nettle | Lamium purpureum | | | Χ | | |
| 47 | Few-flowered leek | Allium paradoxum | | Х | | | Dense patch into ditch on Church Lane on northern boundary. |
| 48 | Daisy | Bellis perennis | | | Х | | Most common in mowed central area |
| | | | | | | | |
| 49 | Wild Arum | Arum maculatum | | | Х | | |

OUTSIDE UNCUT AREA

| | Common name | Botanical name | D | Α | F | 0 | R | Comments | Location |
|----|----------------------|----------------------|---|---|---|---|---|----------------------------|--|
| 50 | Spear thistle | Cirsium vulgare | | | | | Χ | | Church Lane |
| 51 | Garlic mustard | Alliaria petiolata | | | | Χ | | | Church Lane |
| 52 | Yorkshire fog | Holcus lanatus | | Χ | | | | | Common in swardh |
| 53 | Male fern | Dryopteris filix-mas | | | | Χ | | | Church Lane, grave |
| 54 | Great plantain | Plantago major | | | | Χ | | | Church Lane, sward |
| 55 | Common mouse-ear | Cerastium fontanum | | | | Χ | | | Under Diana oak, path edge |
| 56 | Pedunculate oak | Quercus robur | | | | | | | Planted |
| 57 | Hornbeam | Carpinus betulus | | | | | | | Planted |
| 58 | Bulbous buttercup | Ranunculus bulbosus | | | | Χ | | | Sward near eastern boundary |
| 59 | Common knapweed | Centaurea nigra | | | | Χ | | | grave |
| 60 | Ribwort plantain | Plantago lanceolata | | | | Χ | | | eastern boundary |
| 61 | Common sorrel | Rumex acetosa | | | | Χ | | | eastern boundary |
| 62 | Catsear | Hypochaeris radicata | | | | Χ | | | eastern boundary |
| 63 | Primrose | Primula vulgaris | | | | Χ | | | eastern boundary, grave, by church porch |
| 64 | Yarrow | Achillea millefolium | | | Χ | | | Patches in sward | Grave, sward |
| 65 | Polypody | Polypodium vulgare | | | | Χ | | | On road bank on eastern boundary |
| 66 | Creeping cinquefoil | Potentilla reptans | | | | Χ | | | Under church wall, sward |
| 67 | White clover | Trifolium repens | | | Χ | | | Patches in sward | sward |
| 68 | Yew | Taxus | | | | | | Clipped into a tight cube | Planted |
| 69 | Cocksfoot grass | Dactylis glomerata | | Χ | | | | Major constituent of sward | Sward |
| 70 | Ivy-leaved speedwell | Veronica hederifolia | | | | Χ | | | Path edge |
| 71 | Black medick | Medicago lupulina | | | | | Χ | | Path edge |
| 72 | Red clover | Trifolium pratense | | | | | Χ | | Path edge |
| 73 | Spotted medick | Medicago arabica | | | | | Χ | | By church porch |
| 74 | Hairy brome | Bromopsis ramosa | | | Χ | | | | Under church wall |
| 75 | Smooth sow-thistle | Sonchus oleraceus | | | | Χ | | | Under church wall, in eastern bank |
| 76 | Common mallow | Malva sylvestris | | | | | Χ | | Under church wall |
| 77 | Cuckoo flower | Cardamine pratensis | | | | | Χ | | sward |

| 78 | Russian comfrey | Symphytum x uplandicum | | Х | | southern boundary |
|----|---------------------|------------------------|---|---|---|---------------------------------------|
| 79 | , | Leucanthemum vulgare | | Х | | Patch in north east corner |
| 80 | Meadow buttercup | Ranunculus acris | | | Х | At base of gravestone |
| 81 | Creeping bent | Agrostis stolonifera | | Х | | At base of path-side ash tree |
| 82 | Field forget-me-not | Myosotis arvensis | | Χ | | On path edge |
| 83 | Fescue sp. | | Х | | | At tree base, road bank and path edge |
| 84 | Sweet violet | Viola odorata | | | Х | Close to southern boundary |
| 85 | Tutsan | Hypericum sp. | | | Х | On grave |
| 86 | Periwinkle | Vinca major | | Χ | | In base of southern hedge |
| 87 | Aquilegia | Aquilegia sp. | | | Х | On grave, planted |